

Injured muscles 'shocked' back to health

July 6, 2016

A recent study in rats suggests that acoustic shock waves could speed up a muscle's healing process. This technique could help injured athletes to return to training and be able to compete more quickly than just with traditional methods.

Applying low-frequency shock waves in a [therapy](#) called Extracorporeal Shock Wave Therapy (ESWT) is already a promising technique for injuries like ligament and tendon damage. Dr Angela Zissler, leader of the study at the University of Salzburg, Austria, explains: "To our knowledge, there are no experiments exploring the benefits of ESWT in [muscle damage](#), one of the most common causes of injury in competitive sports. By accelerating the muscle healing process, ESWT could get athletes back in the game faster after injury."

ESWT works by mechanically stimulating the tissue, which recruits stem cells to kick-start repairs. "The detailed cellular and molecular processes activated by ESWT have been unclear," says Dr Zissler. "Our study indicates that shock waves increase the levels of chemical signaling factors in [muscle tissue](#). These factors wake up 'satellite' progenitor cells which gradually become new [muscle fibres](#)."

In a low-energy ESWT session, probes deliver shock waves to the patient's damaged area at a low frequency (roughly 1 pulse per second). The [shock waves](#) focus a small amount of energy (less than 0.2 mJ/mm²) on the damaged area, without the need for using local anaesthetics.

ESWT has good potential as a non-invasive therapy complementing or supplementing existing recovery regimes. Dr Zissler remarks: "This therapy only needs sessions of around 15 minutes, so easily complements traditional practices such as physiotherapy. Another bonus is that there are no side-effects to low-energy ESWT, unlike some other methods."

This poster will be presented by Dr Angela Zissler (University of Salzburg, Austria) at the annual meeting of the Society for Experimental Biology (SEB) in Brighton on Wednesday 6 July 2016.

Explore further: [Shock therapy to help erectile dysfunction](#)

Provided by: [Society for Experimental Biology](#)

2 shares

[feedback to editors](#)

Related Stories

Shock therapy to help erectile dysfunction

November 1, 2011

(Medical Xpress) -- A new study published in the Journal of Sexual Medicine shows that a little shock to the penis may help treat severe erectile dysfunction that does not respond well to prescription drug treatments.



Sinister shock: Researcher studies how explosive shock waves harm the brain

February 23, 2016

Today's warfighters are outfitted with body armor strong enough to withstand shrapnel from a bomb or other explosive device. One debilitating threat from a blast, however, is a force they can't see—the explosive shock wave ...



Scientist identify first steps in muscle

Recommended for you



New type of rare brittle-bone disease discovered

July 6, 2016

Researchers from the University of Zurich and University Children's Hospital Zurich have discovered the first X-chromosome-inherited type of the congenital disease osteogenesis imperfecta, also known as brittle-bone disease.

...

Metformin as a potential treatment for a rare pediatric disorder

July 6, 2016

Maple Syrup Urine Disease (MSUD) is a rare inherited metabolic disorder involving the dysfunction of an enzyme which breaks down three essential amino acids: leucine, isoleucine and valine. Left untreated, infants die from ...



No two kinds of retroviruses look—or

0 comments



Please sign in to add a comment. Registration is free, and takes less than a minute. [Read more](#)

Sign in

[Click here to reset your password.](#)

Sign in to get notified via email when new comments are made.

top	Help	Science X Account	Cancer / Oncology
Home	About us	Sponsored Account	HIV & AIDS news
Search	FAQ	Newsletter	Immunology news
Mobile version	Contact	RSS feeds	Genetics news

Connect



